



TYPE1 FONT COLLECTION FOR \TeX

or adaptation of the fonts
from the Ghostscript distribution

Bogusław Jackowski

Janusz M. Nowacki

Piotr Strzelczyk



With Ghostscript (from version 6.0) we get a free collection of 30 fonts, in most cases authorized by URW. These fonts contain Polish diacritic characters.

To use them with T_EX, one needs to prepare some necessary files: TFM, ENC and MAP. This can be done, for example, with the help of the TOIL package.

htgc eh tb ih sus TE xs ug TT Ba TE ox 1o

After a successful installation
we have the following fonts:

URWBookmanL-Light

URWBookmanL-DemiBold

URWBookmanL-LightItalic

URWBookmanL-DemiBoldItalic

CenturySchL-Roman

CenturySchL-Bold

CenturySchL-Italic

CenturySchL-BoldItalic

URWPalladioL-Roman

URWPalladioL-Bold

URWPalladioL-Italic

URWPalladioL-BoldItalic



NimbusSanL-Regular

NimbusSanL-Bold

NimbusSanL-ReguItalic

NimbusSanL-BoldItalic

NimbusSanL-ReguCondensed

NimbusSanL-BoldCondensed

NimbusSanL-ReguCondItalic

NimbusSanL-BoldCondItalic

NimbusRomNo9L-Regular

NimbusRomNo9L-Medium

NimbusRomNo9L-RegularItalic

NimbusRomNo9L-MediumItalic

NimbusMonL-Regular

NimbusMonL-Bold

NimbusMonL-RegularOblique

NimbusMonL-BoldOblique

t q h f r e f g n i s h T h e x s p u G o s q r r T B a E r o g 1

URWGothicL-Book

URWGothicL-Demi

URWGothicL-BookObli

URWGothicL-DemiObli

CharterBT-Bold

CharterBT-BoldItalic

CharterBT-Roman

CharterBT-Italic

URWChanceryL-MediItalic

e r t n e n q h e P o E h T x u G o e r T w G s u B c o x E o T o 1
g h C f c e n e e

That's all, folks!

9 t h C f e n r o f t p m e T U X l e s G G h o s P o T E^x¹⁰
u φ r

That's all, folks!

Investigative users, however, should carefully study the construction of characters, the details like the number of nodes, the shape of the Bézier curves and how they join, hinting, etc.



The collection contains 30 fonts, with about 300 characters each. Let's assume that it takes about 1 minute at average to judge a single character, so...

$$30 \times 300 \times 1 = 9000 \text{ minutes (150 hours)}$$

This means that after 20 days we know what the fonts quality is and we may have a plan for their modification.



“Ogonek” characters

Eą Eą Eą

Bookman

Century

Times

Eą Eą Eą

Swiss

Swiss Condensed

Palatino

Eą Ėą

Courier

Ēą

Chancery

g t h c o p e r h t p h i b E T x s r e G s r w p G T S T X 0 2 1 0
n n c e

“Ogonek” characters

Eä Eä Eä

Bookman

Century

Times

E à E à E à

Swiss Swiss Condensed Palatino

Swiss

Swiss Condensed

Palatino


E a

Courier


Chancery

g e r n e f o P t h o s | T X E u G r s e r d a B a h o

The shape of the tail is
a good cause for a crusade




the original version




modified version

h t g c o p e r e m C f e t h e P o I s E T x U s e r r o u B T B T x 2 o 1

Most of the Ghostscript collection fonts have been constructed with too many nodes which are redundant – removing them does not change the shape of the glyphs.




the original version



modified version

9 h f e n r of p o T I E x i s r G o e u p g u s T b a F X p 3 0


Some
characters
seem correct



NimbusRoman (Times)

g f h c h e n e c b t o h p l i s r X h s e o G p g u . T c a o T E X o d


Some
characters
seem correct,
but...



Nimbus Roman (Times) Italic

ø h c o ñ e c n ñ e p o i s x h usser g r ø ug. s t c h ø e t x ø


There are too much nodes and there's the incorrect run of the path.



Nimbus Roman (Times) Italic

h g c o e r n g e t B o l i E x s e r G b u G u s B c x h E o v

The results of the path adjusting



QuasiTimes Roman Italic

9 t cB efr of t P h o l n T X E U s q r g r o h p T C h o T E x 2 o 1

Dot higher, dot lower

Gizycko!;

Font NimbusRomNo9L-Regular

Gizycko! ;

Font NimbusMonL-Regular

Gizycko!;

Font NimbusSanL-Regular

þh Coñ eñtñ o ñ eP oñ i ñSeñ eñ rñ sñ ñ gñ ñ Sñ Tñ Bañ hñ Tñ Eñ Xñ 2ñ0ñ1

Dots after adjusting

Gizycko!;

Font QuasiTimes-Regular

Gizycko! ;

Font QuasiCourier-Regular

Gizycko!;

Font QuasiSwiss-Regular

To arrange accents properly, it was necessary to reconstruct some of the characters and to create all of the accented letters (accents position) anew.

In “Swiss” the widths of the “dotlessi” and “i” characters are different without a good reason.
There are more such surprises.

q_h C_o_n_f_i_n_a_t_i_o_n_i_t_h_e_P_o_l_i_s_h_T_E_X_U_s_G_r_o_G_u_5_T_B_a_E_T_X_g

Most fonts of the type “Condensed” show a “vise” effect. It means non-proportional geometry changes of the characters: for example vertical rules get narrower, but the horizontal ones do not.



BACHOTEK

the original version

BACHOTEK

modified version

Most often occurring errors are variable stem widths. The elements which should have the same size, differ about ± 1 unit, what causes incorrect discretization.



It was necessary (for
T_EX users) to complete fonts
with ligatures, some Greek
characters, mathematical characters...

$\alpha \beta \delta \pi \ell \infty$
 $\Delta \Pi \Sigma \Omega$
 $ff \ fi \ fl \ ffi \ ffl \ fk$
 $\leq \triangleleft \emptyset \geq$

QuasiSwiss-RegularItalic

The TFM specification permits 16 nominal heights and 16 nominal character depths. For example, “Chancery” contains 120 heights and 80 depths. Optimal reduction of the sizes can be done with METAFONT, during the metric files generation.

The best solution is to design new tables of sizes compatible with the TEX requirements.

In national characters it was necessary to set up kerning pairs.

We can use the “Quasi” fonts to typeset in languages which use Latin characters.

The result of the adaptation work are the following fonts:

QuasiBookman-Roman

QuasiBookman-Bold

QuasiBookman-Italic

QuasiBookman-BoldItalic

QuasiCentury-Roman

QuasiCentury-Bold

QuasiCentury-Italic

QuasiCentury-BoldItalic

QuasiPalatino-Roman

QuasiPalatino-Bold

QuasiPalatino-Italic

QuasiPalatino-BoldItalic

QuasiSwiss-Regular

QuasiSwiss-Bold

QuasiSwiss-RegularItalic

QuasiSwiss-BoldItalic

QuasiSwiss-CondensedRegular

QuasiSwiss-CondensedBold

QuasiSwiss-CondensedItalic

QuasiSwiss-CondensedBoldItalic

QuasiTimes-Regular

QuasiTimes-Bold

QuasiTimes-RegularItalic

QuasiTimes-BoldItalic

QuasiCourier-Regular

QuasiCourier-Bold

QuasiCourier-RegularItalic

QuasiCourier-BoldItalic

The quality of the fonts from the Ghostscript collection is variable. The amount of work necessary to make font corrections and modifications also varies. Not all errors have been corrected. How can one find out what is wrong?

The quality of the fonts from the Ghostscript collection is variable. The amount of work necessary to make font corrections and modifications also varies. Not all errors have been corrected. How can one find out what is wrong?

$$30 \times 300 \times 1 = 9000 \text{ minutes (150 hours)}$$

