The ISO Development Environment: User's Manual

Volume 1: Application Services

Marshall T. Rose
Performance Systems International, Inc.

Julian P. Onions
X-Tel Services Ltd

Colin J. Robbins
X-Tel Services Ltd

July 18, 1991
(Version 7.0)

Contents

I Introduction **1**

1 Overview **3**

1.1 Fanatics Need Not Read Further 4
1.2 The Name of the Game 5
1.3 Operating Environments 5
1.4 Organisation of the Release 7
1.5 A Note on This Implementation 9
1.6 Changes Since the Last Release 10

II Application Services **13**

2 Association Control **15**

2.1 An Important Note 16
2.2 Associations 17
2.2.1 Association Establishment 17
2.2.2 Association Release 36
2.2.3 Association Abort 40
2.3 Association Events 40
2.3.1 Release Indication 41
2.3.2 Abort Indication 42
2.4 Select Facility 43
2.5 Generic Server Dispatch 44
2.6 Restrictions on User Data 49
2.7 Error Conventions 49
2.8 Compiling and Loading 50
2.9 An Example 50

2.10 For Further Reading 55

3 Remote Operations **56**
3.1 Notice 57
3.2 Service Disciplines and Associations 57
3.3 Remote Operations 57
3.3.1 Selecting an Underlying Service 62
3.3.2 Invoking Operations 63
3.3.3 Replying to Requests 65
3.3.4 Reading Replies 66
3.3.5 Rejecting Requests and Replies 71
3.3.6 Asynchronous Event Handling 72
3.3.7 Synchronous Event Multiplexing 73
3.4 Error Conventions 74
3.5 Compiling and Loading 75
3.6 Two Examples 75
3.6.1 The Generic Server 75
3.6.2 The Generic Client 81
3.7 For Further Reading 84

4 Reliable Transfer **86**
4.1 Associations 87
4.1.1 Association Establishment 87
4.1.2 Association Release 92
4.1.3 Association Abort 94
4.2 Reliable Transfer 95
4.2.1 Sending Data 98
4.2.2 Receiving Data 98
4.2.3 Managing the Turn 101
4.2.4 Asynchronous Event Handling 102
4.2.5 Synchronous Event Multiplexing 103
4.2.6 Reliable Transfer (revisited) 104
4.3 Error Conventions 108
4.4 Compiling and Loading 108
4.5 An Example 108
4.6 For Further Reading 111

III Data Services 113

5 Encoding of Data-Structures 115

5.1 Presentation Streams . . . 115
5.1.1 Creating a Stream . . . 116
5.1.2 Stream I/O . . . 119
5.1.3 Deleting a Stream . . . 120
5.1.4 Implementing Other Abstractions . . . 120
5.2 Presentation Stream I/O . . . 122
5.2.1 Debugging . . . 123
5.3 Presentation Elements . . . 124
5.3.1 Creating an Element . . . 125
5.3.2 Deleting an Element . . . 126
5.3.3 Primitive Manipulation of Elements . . . 126
5.4 Presentation Element Transformations . . . 128
5.4.1 Boolean . . . 128
5.4.2 Integer . . . 129
5.4.3 Octetstring . . . 130
5.4.4 Octetstrings revisited . . . 131
5.4.5 Bitvector . . . 133
5.4.6 Object Identifier . . . 135
5.4.7 Timestring . . . 137
5.4.8 Sets and Sequences . . . 140
5.5 Inline CONStructors . . . 144
5.6 Compiling and Loading . . . 145
5.7 An Example . . . 145
5.8 For Further Reading . . . 147

IV Databases 149

6 The ISO Aliases Database 151

6.1 Accessing the Database . . . 151
6.2 User-Specific Aliases . . . 152

7 The ISODE Entities Database 153

7.1 Accessing the Database . . . 154

8 The ISO Macros Database **156**
8.1 User-Specific Macros 156

9 The ISODE Objects Database **157**
9.1 Accessing the Database 157

10 Defining New Services **160**
10.1 Standard Services 160
10.2 Static Servers 162

V Appendices **165**

A Old-Style Associations **167**
A.1 Remote Operations 167
A.1.1 Addresses 167
A.1.2 Association Establishment 168
A.1.3 Association Release 173
A.1.4 An Example 174
A.2 Reliable Transfer 175
A.2.1 Addresses 175
A.2.2 Association Establishment 177
A.2.3 Association Release 183
A.2.4 An Example 184

This document (version #6.24) was LaTeXset July 18, 1991 with lplain v2.09-10/29/85.

List of Tables

2.1 AcSAP Failure Codes 29
2.2 AcSAP Diagnostic Codes 31

3.1 RoSAP Failure Codes 60

4.1 RtSAP Failure Codes 97

5.1 Presentation Stream Failure Codes 116
5.2 Presentation Element Failure Codes 125
5.3 Presentation Element Identifiers 127

List of Figures

2.1 Constructing the address for the FTAM entity 21
2.2 BNF Syntax for paddr2str/str2paddr 23
2.3 The generic ROS server 52

3.1 Initializing the generic ROS responder 76
3.2 The request/reply loop for the generic ROS responder 77
3.3 Initializing the generic ROS initiator 83

4.1 Initializing the generic RTS responder 110
4.2 Finalizing the generic RTS responder 111

5.1 Stepping through a Sequence 142
5.2 Stepping through a Set 143
5.3 Stepping through a Presentation Stream 146

A.1 Constructing the RoSAP address for the Directory Services entity 169
A.2 Initializing the generic ROS responder 176
A.3 Finalizing the generic ROS responder 177
A.4 Constructing the RtSAP address for the Message Transfer entity 178
A.5 Initializing the generic RTS responder 185
A.6 Finalizing the generic RTS responder 186

Preface

The software described herein has been developed as a research tool and represents an effort to promote the use of the International Organisation for Standardisation (ISO) interpretation of open systems interconnection (OSI), particularly in the Internet and RARE research communities.

Notice, Disclaimer, and Conditions of Use

The ISODE is openly available but is **NOT** in the public domain. You are allowed and encouraged to take this software and build commercial products. However, as a condition of use, you are required to "hold harmless" all contributors.
Permission to use, copy, modify, and distribute this software and its documentation for any purpose and without fee is hereby granted, provided that this notice and the reference to this notice appearing in each software module be retained unaltered, and that the name of any contributors shall not be used in advertising or publicity pertaining to distribution of the software without specific written prior permission. No contributor makes any representations about the suitability of this software for any purpose. It is provided "as is" without express or implied warranty.

All contributors disclaim all warranties with regard to this software, including all implied warranties of mechantibility and fitness. In no event shall any contributor be liable for any special, indirect or consequential damages or any damages whatsoever resulting from loss of use, data or profits, whether in action of contract, negligence or other tortuous action, arising out of or in connection with, the use or performance of this software.

As used above, "contributor" includes, but is not limited to:

The MITRE Corporation
The Northrop Corporation
NYSERNet, Inc.
Performance Systems International, Inc.
University College London
The University of Nottingham
X-Tel Services Ltd
The Wollongong Group, Inc.
Marshall T. Rose

In particular, the Northrop Corporation provided the initial sponsorship for the ISODE and the Wollongong Group, Inc., also supported this effort. The ISODE received partial support from the U.S. Defense Advanced Research